

Test Report

Report No.: DGCTT2109030905ENR1

Page 1 of 4

Applicant: Kunshan Yuhuan Package Materials Co., Ltd.

Address: No 1, Songnan West Road, Qiandeng Town, Suzhou, Jiangsu, China

Sample Received Date: Sep. 08, 2021

Completed Date: Sep. 17, 2021

Report Date: Sep. 17, 2021

The following merchandise was (were) submitted and identified on behalf of the applicant as:

Sample Name: Nipple Stickers

Test Result(s): Please refer to next page(s).

Test Requested and Conclusion(s):

No.	Standard and Requirement	Conclusion(s)
1	Refer to OEKO-TEX Standard 100:2021 - Dyestuffs classified as allergenic	PASS
2	Refer to OEKO-TEX Standard 100:2021 (Class II) - Heavy metals in digested sample(Lead (Pb))	PASS
3	Refer to OEKO-TEX Standard 100:2021 (Class II) - pH value	PASS

Signed for and on Behalf of CTT:



Hilary He
Technical Manager

This test report is issued by the company subject to its General Conditions of Services and accessible at <http://www.cttlab.com/order/202103190908290166.pdf>. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated the results shown in this report only apply to the sample as received. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS (if with CNAS logo), "s" means the item of sub-contractor. All or part of items of this report are not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.



Test Report

Report No.: DGCTT2109030905ENR1

Page 2 of 4

Test Result(s):


Dyestuffs Classified as Allergenic - Refer to OEKO-TEX Standard 100:2021 ⁿ

Method: OEKO - TEX Testing Procedures, analyzed by Liquid Chromatography-Mass Spectrometry (LC-MS).

Substances Name	CAS No.	Client's Limit (mg/kg)	Result (mg/kg)
			1
C.I. Disperse Blue 1	2475-45-8	50	N.D.
C.I. Disperse Blue 3	2475-46-9	50	N.D.
C.I. Disperse Blue 7	3179-90-6	50	N.D.
C.I. Disperse Blue 26	3860-63-7	50	N.D.
C.I. Disperse Blue 35	12222-75-2	50	N.D.
C.I. Disperse Blue 102	12222-97-8	50	N.D.
C.I. Disperse Blue 106	12223-01-7	50	N.D.
C.I. Disperse Blue 124	61951-51-7	50	N.D.
C.I. Disperse Brown 1	23355-64-8	50	N.D.
C.I. Disperse Orange 1	2581-69-3	50	N.D.
C.I. Disperse Orange 3	730-40-5	50	N.D.
C.I. Disperse Orange 37/59/76	13301-61-6	50	N.D.
C.I. Disperse Red 1	2872-52-8	50	N.D.
C.I. Disperse Red 11	2872-48-2	50	N.D.
C.I. Disperse Red 17	3179-89-3	50	N.D.
C.I. Disperse Yellow 1	119-15-3	50	N.D.
C.I. Disperse Yellow 3	2832-40-8	50	N.D.
C.I. Disperse Yellow 9	6373-73-5	50	N.D.
C.I. Disperse Yellow 39	12236-29-2	50	N.D.
C.I. Disperse Yellow 49	54824-37-2	50	N.D.
Conclusion			PASS

- Note:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (< RL).
 3. RL (Reporting Limit) = 50 mg/kg.

This test report is issued by the company subject to its General Conditions of Services and accessible at <http://www.cttlab.com/order/202103190908290166.pdf>. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated the results shown in this report only apply to the sample as received. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS (if with CNAS logo), "s" means the item of subcontractor. All or part of items of this report are not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.



Test Report

Report No.: DGCTT2109030905ENR1

Page 3 of 4

Test Result(s):

Heavy Metals in digested sample - Refer to OEKO-TEX Standard 100:2021 ⁿ

Method: OEKO - TEX Testing Procedures, analyzed by Inductively Coupled Plasma Optical Emission Spectroscopy (ICP-OES) or Inductively Coupled Plasma Mass Spectrometry (ICP - MS).

Material No.	Item(s)	Client's Limit (mg/kg)				Result (mg/kg)	Conclusion
		I	II	III	IV		
1	Lead (Pb)	90	90*	90*	90*	N.D.	PASS

- Note:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (< RL).
 3. RL= Reporting Limit (Pb/As are 10mg/kg, Cd is 2mg/kg and Hg is 0.5mg/kg).
 4. Product Class:
 - I = products for babies.
 - II = products with direct contact to skin.
 - III = products without direct contact to skin.
 - IV = decoration materials.
 5. "*" = The limit is 1000mg/kg for accessories made from glass.

pH Value - Refer to OEKO-TEX Standard 100:2021

Method: ISO 3071:2020, analyzed by pH meter.

Material No.	Client's Limit				Result	Conclusion
	I	II	III	IV		
1#	4.0 - 7.5	4.0 - 7.5	4.0 - 9.0	4.0 - 9.0	6.8	PASS

- Note:**
1. Product Class:
 - I = products for babies.
 - II = products with direct contact to skin.
 - III = products without direct contact to skin.
 - IV = decoration materials.
 2. Exceptions for products which must be treated wet during the further processing:4.0-10.5;for foams:4.0-9.0.
 3. "#" = This sample is received on Sep. 17, 2021.

This test report is issued by the company subject to its General Conditions of Services and accessible at <http://www.cttlab.com/order/202103190908290166.pdf>. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated the results shown in this report only apply to the sample as received. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS (if with CNAS logo), "s" means the item of subcontractor. All or part of items of this report are not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.



Test Report

Report No.: DGCTT2109030905ENR1


Page 4 of 4

Test Material List

Material No.	Sample Description	Location
1	Brown plus material with glue	Body

Remark: This report supersedes DGCTT2109030905EN which is withdrawn.

Photo of Sample:



End of Report

This test report is issued by the company subject to its General Conditions of Services and accessible at <http://www.cttlab.com/order/202103190908290166.pdf>. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated the results shown in this report only apply to the sample as received. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS (if with CNAS logo), "s" means the item of subcontractor. All or part of items of this report are not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.

